

【当協会研究助成による論文発表（別刷受理のみ）】

Shinohara H, Takagi M, Ito K, Shimizu E, Fukuzawa R, Hasegawa T. :
A Novel Mutation in NKX2-1 Shows Dominant-Negative Effects Only in the Presence of PAX8.
2018 Aug;28(8):1071-1073.

Yuichi Nagata, Naoko Inoshita, Noriaki Fukuhara, Mitsuo Yamaguchi-Okada, Hiroshi Nishioka, Takeo Iwata, Katsuhiko Yoshimoto, Shozo Yamada:
Growth hormone-producing pituitary adenomas in childhood and young adulthood: clinical features and outcomes. Pituitary (2018) Volume 21:1-9

Takagi M, Dobashi K, Nagahara K, Kato M, Nishimura G, Fukuzawa R, Narumi S, Hasegawa T. :
A novel de novo germline mutation Glu40Lys in AKT3 causes megalencephaly with growth hormone deficiency. Am J Med Genet A. 173:1071-1076, 2017.

Masaki Takagi, Kazushige Dobashi, Keiko Nagahara, Mitsuhiro Kato, Gen Nishimura, Ryuji Fukuzawa, Satoshi Narumi, Tomonobu Hasegawa:
A novel de novo germline mutation Glu40Lys in AKT3 causes megalencephaly with growth hormone deficiency. American Journal of Medical Genetics Part A 9999A: 1-6.

Misa Hayashi, Kumi Futawaka, Rie Koyama, Yue Fan, Midori Matsushita, Asuka Hirao, Yuki Fukuda, Ayaka Nushida, Syoko Nezu, Tetsuya Tagami, Kenji Moriyama:
Effects of growth hormone on uncoupling protein 1 in white adipose tissues in obese mice. Growth Hormone & IGF Research 37 (2017) 31-39

Kohnosuke Ohtaka, Yasuko Fujisawa, Fumio Takada, Yukihiro Hasegawa, Tatsuya Miyoshi, Tomonobu Hasegawa, Hideaki Miyoshi, Hiraku Kameda, Misuzu Kameda, Misuzu Kurokawa-Seo, Maki-Fukami, and Tsutomu Ogata:
FGFR1 Analyses in Four Patients with Hypogonadotropic Hypogonadism with Split-Hand/Foot Malformation: Implications for the Promoter Region. Human Mutation 38:503-506, 2017

Daisuke Harada, Noriyuki Namba, Yuki Hanioka, Kaoru Ueyama, Natsuko Sakamoto, Yukako Nakano, Masafumi Izui, Yuiko Nagamatsu, Hiroko Kashiwagi, Miho Yamamuro, Yoshihito Ishiura, Ayako Ogitani, Yoshiki Seino:
Final adult height in long-term growth hormone-treated achondroplasia patients. Eur J Pediatr DOI 10.1007/s00431-017-2923-y

Takagi M, Yagi H, Fukuzawa R, Narumi S, Hasegawa T.

Syndromic disorder of sex development due to a novel hemizygous mutation in the carboxyl-terminal domain of ATRX. *Hum Genome Var.* 2017; 4: 17012.

Takagi M, Kamasaki H, Yagi H, Fukuzawa R, Narumi S, Hasegawa T.

A novel heterozygous intronic mutation in POU1F1 is associated with combined pituitary hormone deficiency. *Endocr J.* 2017; 64(2): 229-234.

Takagi M, Shinohara H, Nagashima Y, Hasegawa Y, Narumi S, Hasegawa T.

A Novel Dominant Negative Mutation in the Intracellular Domain of GHR is Associated with Growth Hormone Insensitivity. *Clin Endocrinol (Oxf).* 2016; 85(4): 669-71.

Masaki Takagi, Tatsuya Miyoshi, Yuka Nagashima, Nao Shibata, Hiroko Yagi, Ryuji Fukuzawa and Tomonobu Hasegawa.

Nobel heterozygous mutation in the extracellular domain of *FGFR1* associated with Hartsfield syndrome. *Hum Genome Var.* 2016; 3: 16034.

Yue Fan, Kumi Futawaka, Rie Koyama, Yuki Fukuda, Misa Hayashi, Miyuki Imamoto, Takashi Miyawaki, Masato Kasahara. Tetsuya Tagami and Kenji Moriyama:

Vitamin D₃ /VDR resists diet-induced obesity by modulating UCP3 expression in muscles. *Journal of Biomedical Science* (2016)23-56

Kumi Futawaka, Tetsuya Tagami, Yuki Fukuda, Rie Koyama, Ayaka Nushida, Syoko Nezu, Hironori Yamamoto, Miyuki Imamoto, Masato Kasahara and Kenji Moriyama:

Transcriptional activation of the wild-type and mutant vitamin D receptors by vitamin D₃ analogs. *Journal of Molecular Endocrinology* (2016)57, 23-32

Kumi Futawaka, Tetsuya Tagami, Yuki Fukuda, Rie Koyama, Ayaka Nushida, Syoko Nezu, Miyuki Imamoto, Masato Kasahara, Kenji Moriyama:

Growth hormone regulates the expression of UCP2 in myocytes. *Growth Hormone & IGF Research* 29 (2016) 57-62

Takagi M, Nagasaki K, Fujiwara I, Ishii T, Amano N, Asakura Y, Muroya K, Hasegawa Y, Adachi M, Hasegawa T.:

Heterozygous defects in *PAX6* gene and congenital hypopituitarism. *European Journal of Endocrinology* 2015; 172: 37-45

Tsukamoto-Yamauchi N, Terasaka T, Iwasaki Y, Otsuka F.:

Interaction of pituitary hormones and expression of clock genes modulated by bone morphogenetic protein-4 and melatonin. *Biochem. Biophys. Res. Commun.* 2015; 459: 172-177

Hosoya T, Otsuka F, Nakamura E, Terasaka T, Inagaki K, Tsukamoto-Yamauchi N, Hara T, Toma K, Komatsubara M, Makino H.:

Regulatory role of BMP-9 in steroidogenesis by rat ovarian granulosa cells. *Journal of Steroid Biochemistry & Molecular Biology* 2015; 147: 85-91

Iwata T, Tamanaha T, Koezuka R, Tochiya M, Makino H, Kishimoto I, Mizusawa N, Ono S, Inoshita N, Yamada S, Shimatsu A, Yoshimoto K.:

Germline deletion and a somatic mutation of the *PRKARIA* gene in a Carney complex-related pituitary adenoma. *European Journal of Endocrinology* 2015; 172: K5-K10

Iwata T, Yamada S, Ito J, Inoshita N, Mizusawa N, Ono S, Yoshimoto K.:

A Novel C-terminal Nonsense Mutation, Q315X, of the Aryl Hydrocarbon Receptor-Interacting Protein Gene in a Japanese Familial Isolated Pituitary Adenoma Family. *Endocr Pathol* 2014; 25: 273-281

Shimada T, Furuta H, Doi A, Ariyasu H, Kawashima H, Wakasaki H, Nishi M, Sasaki H, Akamizu T.:

Des-acyl ghrelin protects microvascular endothelial cells from oxidative stress-induced apoptosis through sirtuin 1 signaling pathway. *Metabolism Clinical and Experimental* 2014; 63: 469-474

Terasaka T, Otsuka F, Tsukamoto N, Nakamura E, Inagaki K, Toma K, Ogura-Ochi K, Glidewell-Kenney C, A. Lawson M, Makino F.:

Mutual interaction of kisspeptin, estrogen and bone morphogenetic protein-4 activity in GnRH regulation by GT1-7 cells. *Molecular and Cellular Endocrinology* 2013; 381: 8-15

Nakamura E, Otsuka F, Inagaki K, Tsukamoto N, Ogura-Ochi K, Miyoshi T, Toma K, Takeda M, Makino H.:

Involvement of bone morphogenetic protein activity in somatostatin actions on ovarian steroidogenesis. *Journal of Steroid Biochemistry & Molecular Biology* 2013; 134: 67-74

Okada M, Matsuda H, Okimura Y.:

Lentiviral and Moloney retroviral expression of green fluorescent protein in somatotrophs in vivo. *PLOS One* 2013; 8: e54437

Otsuka F:

Multifunctional bone morphogenetic protein system in endocrinology. *Acta Med. Okayama* 67: 75-86, 2013

Yamada K, Tsuji T, Kunieda T.:

Phenotypic characterization of *Ggt1*^{dwg/dwg} mice, a mouse model for hereditary γ -Glutamyl transferase deficiency. *Exp. Anim.* 62(2), 151-157, 2013

Akamizu T, Sakura N, Shigematsu Y, Tajima G, Ohtake A, Hosoda H, Iwakura H, Ariyasu H, Kangawa K.:

Analysis of plasma ghrelin in patients with medium-chain acyl-CoA dehydrogenase deficiency and glutaric aciduria type II. *European Journal of Endocrinology* 2012; 166(2): 235-240

Akamizu T, Kangawa K.:

The physiological significance and potential clinical applications of ghrelin. *European Journal of Internal Medicine* 2012; 23(3): 197-202

Yorifuji T, Kawakita R, Hosokawa Y, Fujimaru R, Matsubara K, Aizu K, Suzuki S, Nagasaka H, Nishibori H, Masue M.:

Efficacy and safety of long-term, continuous subcutaneous octreotide infusion for patients with different subtypes of K_{ATP} -channel hyperinsulinism. *Clinical Endocrinology* 2013; 78(6): 891-897

市江和子、上條隆司：成長ホルモン治療中の小児の家族における在宅自己注射に関する意識の検討 小児科臨床 65(2): 237-242, 2012

市江和子、上條隆司：ターナー症候群の女兒と家族の双方における成長ホルモン治療中の生活の実態調査 ホルモンと臨床 58 : 907-912, 2010 (発刊は2012年)

Koshimizu T, Kawai M, Kondou H, Tachikawa K, Sakai N, Ozono K, Michigami T.:

Vinculin functions as a regulator of chondrogenesis. *Journal of Biological Chemistry* 287: 15760-15775, 2012

Irie M, Ueki M, Kishikawa Y, Nishii M, Kawahara T.:

20K-GH and its use in detecting GH abuse. *Growth Hormone & IGF Research* 2009; 19: 352-356

Suganuma N, Furuhashi M, Hirooka T, Moriwaki T, Hasegawa Y, Mori O, Ogawa M.:

Bone mineral density in adult patients with Turner's syndrome: Analyses of the effectiveness of GH and ovarian steroid hormone replacement therapies. *Endocrine Journal* 2003, 50(3): 263-269